

TECHNICAL DATA SHEET

Product Name:MARMOALGAE-REMOVER

Manufacturer :

ANAV INDUSTRIES

Address: Khewat No. 1358/1151,

Khatoni No. 1461, Main NH-9, Near Toll Plaza, Village Rohad, Dis. Jhajjar,
Haryana-124501

Marketed By/ Exporter:

MARMO SOLUTIONS PVT. LTD.

Office Address :

MUMBAI:47A, Ground And First Floor, Parmar Compound, Highway Road,
Vile Parle East, Mumbai - 400099

DELHI:WHS, 1/18, 2nd Floor Kirti Nagar, Near

Richi Rich, New Delhi - 110 015

Tel. No: +91 11 40586081

Website: www.marmosolutions.com

E-Mail ID: info@marmosolutions.com

Office hours: Monday to Saturday (10AM-6PM)

1. Product Description:

Marmoalgae-Remover is a specially formulated liquid solution designed to effectively dissolve and remove algae from natural stone, tiles, and other surfaces. It penetrates deeply to break down algae , allowing for easy removal without damaging the substrate.



TECHNICAL DATA SHEET

Product Name: MARMOALGAE-REMOVER

Product Features:

- **Effective algae Removal:** Dissolves algae quickly and efficiently.
- **Surface-Safe:** Designed to be safe on natural stones like marble and granite without causing damage.
- **Non-Acidic Formula:** Free from acidic components, preventing surface etching or corrosion.
- **User-Friendly:** Easy to apply with minimal labor required.
- **Low Odor:** Low VOC content ensures minimal odor during application.

Applications:

- Removal algae from natural stones like marble, granite, and limestone.
- Cleaning algae from tiles and other construction surfaces.
- Safe for use on most substrates including porcelain, ceramic, stones and concrete.

Application Guidelines :

- **Preparation:** Ensure the surface is dry and free from any loose debris.
- **Application:** Pour a sufficient amount of Marmoalgae-Remover directly onto the area with algae .



TECHNICAL DATA SHEET

Product Name: MARMOALGAE-REMOVER

- **Dwell Time:** Allow the product to sit on the surface for 10-20 minutes to break down the algae.
- **Removal:** Use a soft scrub brush or a microfiber cloth to gently agitate and remove the algae.
- **Rinse:** Clean the surface with warm water and a soft microfiber towel to remove any remaining residue.

Technical Specifications:

- **Appearance:** Transparent or slightly yellow liquid
- **Density:** 0.9 - 1.1 g/cm³
- **Viscosity:** Low viscosity
- **pH Level:** Neutral
- **Flash Point:** >70°C
- **Odor:** Mild
- **Solubility in Water:** soluble
- **Shelf Life:** 12 months in original, unopened packaging
- **Application Temperature:** 5°C - 35°C (Ambient and Surface Temperature)
- **Coverage:** 5 - 10 m² per liter, depending on surface porosity
- **Dwell Time:** 10 - 20 minutes (may vary based on thickness)
- **Cleaning Method:** Use water and microfiber cloth after application



TECHNICAL DATA SHEET

Product Name: MARMOALGAE-REMOVER

Storage & Handling:

- **Storage:** Store in a cool, dry place (5°C - 30°C), away from direct sunlight and heat. Keep the container tightly sealed.
- **Handling:** Use in a ventilated area. Wear gloves and eye protection. Avoid skin and eye contact.

Health & Safety:

- **Protective Gear:** Always wear gloves, eye protection, and protective clothing during use to avoid skin and eye contact.
- **Ventilation:** Use in a well-ventilated area to avoid inhalation of vapors.
- **Skin Contact:** Wash immediately with soap and water.
- **Eye Contact:** Rinse thoroughly with water and seek medical advice if irritation persists.
- **Inhalation:** Move to fresh air if feeling unwell; seek medical help if symptoms continue.
- **Ingestion:** Do not induce vomiting. Seek medical attention immediately.
- **Disposal:** Follow local regulations for the safe disposal of chemical products.

