

TECHNICAL DATA SHEET

Product Name: MARMOGLOSSER

Registered Office:

MARMO SOLUTIONS PVT. LTD.

(AN ISO 9001:2015 CERTIFIED COMPANY)

MUMBAI: 47A, Ground And First Floor, Parmar
Compound, Highway Road, Vile Parle East,
Mumbai – 400099

DELHI : WHS, 1/18, 2nd Floor Kirti Nagar, Near
Richi Rich, New Delhi - 110015

Customer No: +91 11 40586081

Web.: www.marmosolutions.com

For any query/feedback

E-Mail: info@marmosolutions.com

CIN : U74140DL2013PTC252178

E-Mail ID: info@marmosolutions.com

Office hours: Monday to Saturday (10AM-6PM)



1. Product Description:

MARMOGLOSSER is a premium solvent-based, satin finish penetrating sealer formulated with high-quality super acrylic resins to enhance and protect natural stone surfaces. It enriches the natural colour of stone while imparting an elegant satin gloss finish, providing long-lasting aesthetic appeal without forming a brittle surface film.

Manufactured by:

ANAV INDUSTRIES

Address: Khewat No. 1358/1151,

Khatoni No. 1461, Main NH-9, Near Toll Plaza, Village

Rohad, Dis. Jhajjar, Haryana-124501

Marketed By/ Exporter:

MUMBAI: 47A, Ground And First Floor,

Parmar Compound, Highway Road,

Vile Parle East, Mumbai- 400099

DELHI: WHS, 1/18, 2nd Floor Kirti Nagar, Near

Richi Rich, New Delhi- 110 015

Tel. No: +91 11 40586081



www.marmosolutions.com



For any query/feedback

E-Mail: info@marmosolutions.com

TECHNICAL DATA SHEET

Product Name: MARMOGLOSSER

2. Product Features:

- Solvent-based premium acrylic stone sealer.
- Enhances the natural colour and grain of stone surfaces.
- Produces an elegant satin finish with a uniform appearance.
- Formulated with high-performance super acrylic resins.
- Excellent weather and UV resistance.
- Non-yellowing formulation for long-term clarity.
- Protects against stains, moisture, and atmospheric contaminants.
- Deep penetrating protection with excellent adhesion.
- Suitable for interior and exterior applications.
- Improves ease of cleaning and maintenance.
- Durable finish with excellent abrasion resistance.

3. Applications:

- Suitable for satin finish enhancement
- Colour enhancement
- Surface protection
- Indoor and outdoor stone applications

Manufactured by:

ANAV INDUSTRIES

Address: Khewat No. 1358/1151,

Khatoni No. 1461, Main NH-9, Near Toll Plaza, Village

Rohad, Dis. Jhajjar, Haryana-124501

Marketed By/ Exporter:

MUMBAI: 47A, Ground And First Floor,

Parmar Compound, Highway Road,

Vile Parle East, Mumbai- 400099

DELHI: WHS, 1/18, 2nd Floor Kirti Nagar, Near

Richi Rich, New Delhi- 110 015

Tel. No: +91 11 40586081



www.marmosolutions.com



For any query/feedback

E-Mail: info@marmosolutions.com

TECHNICAL DATA SHEET

Product Name: MARMOGLOSSER

4. Application Guidelines:

1. Surface Preparation:

Ensure the surface is clean, dry, and free from dust, grease, oil, wax, previous sealers, or any loose contaminants. The substrate should be completely dry before application.

2. Application Method:

Apply **MARMOGLOSSER** uniformly using a brush, roller, microfiber applicator, or low-pressure sprayer. Allow the product to penetrate evenly into the substrate.

Second Coat: For porous stones, apply a second coat after **20–30 minutes**, while the first coat is still tack-free.

3. Removal of Excess: Remove excess material immediately using a clean, lint-free cloth to prevent uneven gloss or surface residue.

4. Drying & Curing:

Surface Dry: 2–4 Hours

Light Foot Traffic: 12 Hours

Full Cure: 24–48 Hours

Manufactured by:

ANAV INDUSTRIES

Address: Khewat No. 1358/1151,

Khatoni No. 1461, Main NH-9, Near Toll Plaza, Village

Rohad, Dis. Jhajjar, Haryana-124501

Marketed By/ Exporter:

MUMBAI: 47A, Ground And First Floor,

Parmar Compound, Highway Road,

Vile Parle East, Mumbai- 400099

DELHI: WHS, 1/18, 2nd Floor Kirti Nagar, Near

Richi Rich, New Delhi- 110 015

Tel. No: +91 11 40586081



www.marmosolutions.com



For any query/feedback

E-Mail: info@marmosolutions.com

TECHNICAL DATA SHEET

Product Name: MARMOGLOSSER

5. Product Specifications:

- **Appearance:** Clear liquid
- **Viscosity:** Low viscosity
- **Packaging:** Available in 1L, 4L Containers
- **Specific Gravity:** 0.88-0.95 g/cm³
- **Finish:** Satin
- **UV Resistance:** High
- **Solubility:** Solvent-Based
- **Odour:** Characteristics Solvent Odour
- **Shelf Life:** 24 months in original, unopened packaging
- **Application Temperature:** 5°C - 30°C (Ambient and Surface Temperature)
- **Coverage:** 8-15 m² per litre, depending on surface porosity
- **Initial Drying Time:** 2-4 Hours
- **Full Cure:** 24-48 Hours
- **UV Resistance:** Excellent
- **Yellowing Resistance:** Non-yellowing
- **Application Temperature:** 10°C to 35°C
- **Water Repellence:** Excellent

Manufactured by:

ANAV INDUSTRIES

Address: Khewat No. 1358/1151,

Khatoni No. 1461, Main NH-9, Near Toll Plaza, Village

Rohad, Dis. Jhajjar, Haryana-124501

Marketed By/ Exporter:

MUMBAI: 47A, Ground And First Floor,

Parmar Compound, Highway Road,

Vile Parle East, Mumbai- 400099

DELHI: WHS, 1/18, 2nd Floor Kirti Nagar, Near

Richi Rich, New Delhi- 110 015

Tel. No: +91 11 40586081



www.marmosolutions.com



For any query/feedback

E-Mail: info@marmosolutions.com

TECHNICAL DATA SHEET

Product Name: MARMOGLOSSER

6.DO'S & DON'TS

• DO'S

- Do ensure the surface is completely clean, dry, and free from dust, grease, oil, wax, and previous coatings.
- Do perform a test application on an inconspicuous area before full-scale treatment.
- Do apply thin, uniform coats for optimum finish and penetration.
- Do remove excess material before it begins to dry.
- Do apply a second coat on porous substrates where additional enhancement is required.
- Do allow the recommended curing time before exposing the treated surface to heavy traffic or moisture.
- Do ensure adequate ventilation during application. Do keep the container tightly sealed after use.

• DON'TS

- Do not apply on wet or damp surfaces.
- Do not apply during rainfall or when rain is expected before complete curing.
- Do not apply under direct sunlight or on excessively hot surfaces.
- Do not allow excess material to dry on the surface.
- Do not dilute the product or mix with other sealers unless recommended by Marmo Solutions.
- Do not apply over previously coated or waxed surfaces without proper surface preparation.
- Do not expose uncured surfaces to water or heavy traffic.
- Do not use near open flames or ignition sources, as the product is solvent-based and flammable.

Manufactured by:

ANAV INDUSTRIES

Address: Khewat No. 1358/1151,

Khatoni No. 1461, Main NH-9, Near Toll Plaza, Village

Rohad, Dis. Jhajjar, Haryana-124501

Marketed By/ Exporter:

MUMBAI: 47A, Ground And First Floor,

Parmar Compound, Highway Road,

Vile Parle East, Mumbai-400099

DELHI: WHS, 1/18, 2nd Floor Kirti Nagar, Near

Richi Rich, New Delhi- 110 015

Tel. No: +91 11 40586081



www.marmosolutions.com



For any query/feedback

E-Mail: info@marmosolutions.com

TECHNICAL DATA SHEET

Product Name: MARMOGLOSSER

7.Storage and Handling:

- **Storage:** Store in a cool, dry place between +5°C and +25°C, away from direct sunlight and sources of heat.
- **Handling:** Use appropriate personal protective equipment, such as gloves and goggles, to avoid skin and eye contact. Ensure good ventilation during application.

Health & Safety:

- **MARMOGLOSSER** is a solvent-based product and should be used only in well-ventilated areas.
- **Precautionary Measures:** Avoid direct contact with skin and eyes. In case of contact, wash thoroughly with soap and water. If ingested, seek medical advice immediately.
- **Disposal:** Dispose of in accordance with local regulations. Do not release into drains or watercourses.

Manufactured by:

ANAV INDUSTRIES

Address: Khewat No. 1358/1151,

Khatoni No. 1461, Main NH-9, Near Toll Plaza, Village

Rohad, Dis. Jhajjar, Haryana-124501

Marketed By/ Exporter:

MUMBAI: 47A, Ground And First Floor,

Parmar Compound, Highway Road,

Vile Parle East, Mumbai- 400099

DELHI: WHS, 1/18, 2nd Floor Kirti Nagar, Near

Richi Rich, New Delhi- 110 015

Tel. No: +91 11 40586081



www.marmosolutions.com



For any query/feedback

E-Mail: info@marmosolutions.com