MARMO SOLUTIONS
MARBLE & TILE SOLUTION PRODUCTS



TECHNICAL DATA SHEET

Product Name: MARMOPOXY- REMOVER

Manufacturer :
ANAV INDUSTRIES
Address: Khewat No. 1358/1151,
Khatoni No. 1461, Main NH-9, Near Toll Plaza, Village Rohad, Dis. Jhajjar, Haryana- 124501
Marketed By/ Exporter:
MARMO SOLUTIONS PVT. LTD.
Office Address :
MUMBAI: 47A, Ground And First Floor, Parmar Compound, Highway Road,
Vile Parle East, Mumbai - 400099
DELHI: WHS, 1/18, 2nd Floor Kirti Nagar, Near
Richi Rich, New Delhi - 110 015
Tel. NO: +91 11 40586081
Website: www.marmosolutions.com
E-mail ID: info@marmosolutions.com
Office Hours: Monday to Saturday (10 AM- 6 PM)

MARMO SOLUTIONS
MARBLE & TILE SOLUTION PRODUCTS

1. Product Description:

Marmopoxy-Remover is a specially formulated liquid solution designed to effectively dissolve and remove uncured epoxy, adhesives, and resins from natural stone, tiles, and other surfaces. It penetrates deeply to break down resinous materials, allowing for easy removal without damaging the substrate.

MARMO SOLUTIONS
MARBLE & TILE SOLUTION PRODUCTS

TECHNICAL DATA SHEET

Product Name: MARMOPOXY- REMOVER

2. Product Features:

- **Effective Epoxy Removal:** Dissolves uncured epoxy, adhesives, and resins quickly and efficiently.
- **Surface-Safe:** Designed to be safe on natural stones like marble and granite without causing damage.
- **Non-Acidic Formula:** Free from acidic components, preventing surface etching or corrosion.
- **User-Friendly:** Easy to apply with minimal labour required.
- **Low Odour:** Low VOC content ensures minimal odour during application.

MARMO SOLUTIONS
MARBLE & TILE SOLUTION PRODUCTS

Marketed By/ Exporter:
MUMBAI: 47A, Ground And First Floor,
Parmar Compound, Highway Road,
Vile Parle East, Mumbai- 400099
DELHI: WHS, 1/18, 2nd Floor Kirti Nagar, Near
Richi Rich, New Delhi- 110 015
Tel. No: +91 11 40586081

www.marmosolutions.com

MADE IN INDIA
For any query/feedback
E-Mail: info@marmosolutions.com

MARMO SOLUTIONS
MARBLE & TILE SOLUTION PRODUCTS

TECHNICAL DATA SHEET

Product Name: MARMOPOXY- REMOVER

3. Technical Specifications:

- **Appearance:** Transparent or slightly yellow liquid
- **Density:** 0.9 - 1.1 g/cm³
- **Viscosity:** Low viscosity
- **pH Level:** Neutral
- **Flash Point:** >70°C
- **Odour:** Mild, solvent-like
- **Solubility in Water:** Insoluble
- **Shelf Life:** 12 months in original, unopened packaging
- **Application Temperature:** 5°C - 35°C (Ambient and Surface Temperature)
- **Coverage:** 5 - 10 **m²** per litre, depending on surface porosity
- **Dwell Time:** 10 - 20 minutes (may vary based on thickness)
- **Cleaning Method:** Use water and microfiber cloth after application

MARMO SOLUTIONS
MARBLE & TILE SOLUTION PRODUCTS

Marketed By/ Exporter:
MUMBAI: 47A, Ground And First Floor,
Parmar Compound, Highway Road,
Vile Parle East, Mumbai- 400099
DELHI: WHS, 1/18, 2nd Floor Kirti Nagar, Near
Richi Rich, New Delhi- 110 015
Tel. No: +91 11 40586081

www.marmosolutions.com

MADE IN INDIA
For any query/feedback
E-Mail: info@marmosolutions.com

MARMO SOLUTIONS
MARBLE & TILE SOLUTION PRODUCTS

TECHNICAL DATA SHEET

Product Name: MARMOPOXY- REMOVER

4. Application Instructions

- **Preparation:** Ensure the surface is dry and free from any loose debris.
- **Application:** Pour a sufficient amount of Marmopoxy-Remover directly onto the area with uncured epoxy or residue.
- **Dwell Time:** Allow the product to sit on the surface for 10-20 minutes to break down the epoxy.
- **Removal:** Use a soft scrub brush or a microfiber cloth to gently agitate and remove the softened epoxy.
- **Rinse:** Clean the surface with warm water and a soft microfiber towel to remove any remaining residue.

MARMO SOLUTIONS
MARBLE & TILE SOLUTION PRODUCTS

Marketed By/ Exporter:
MUMBAI: 47A, Ground And First Floor,
Parmar Compound, Highway Road,
Vile Parle East, Mumbai- 400099
DELHI: WHS, 1/18, 2nd Floor Kirti Nagar, Near
Richi Rich, New Delhi- 110 015
Tel. No: +91 11 40586081

www.marmosolutions.com

MADE IN INDIA
For any query/feedback
E-Mail: info@marmosolutions.com

MARMO SOLUTIONS
MARBLE & TILE SOLUTION PRODUCTS

TECHNICAL DATA SHEET

Product Name: MARMOPOXY- REMOVER

5. Storage and Handling:

- **Storage:** Store in a cool, dry place (5°C - 30°C), away from direct sunlight and heat. Keep the container tightly sealed.
- **Handling:** Use in a ventilated area. Wear gloves and eye protection. Avoid skin and eye contact.

Health & Safety:

- **Protective Gear:** Always wear gloves, eye protection, and protective clothing during use to avoid skin and eye contact.
- **Ventilation:** Use in a well-ventilated area to avoid inhalation of vapours.
- **Skin Contact:** Wash immediately with soap and water.
- **Eye Contact:** Rinse thoroughly with water and seek medical advice if irritation persists.
- **Inhalation:** Move to fresh air if feeling unwell, seek medical help if symptoms continue.
- **Ingestion:** Do not induce vomiting. Seek medical attention immediately.
- **Disposal:** Follow local regulations for the safe disposal of chemical products.

MARMO SOLUTIONS
MARBLE & TILE SOLUTION PRODUCTS

Marketed By/ Exporter:
MUMBAI: 47A, Ground And First Floor,
Parmar Compound, Highway Road,
Vile Parle East, Mumbai- 400099
DELHI: WHS, 1/18, 2nd Floor Kirti Nagar, Near
Richi Rich, New Delhi- 110 015
Tel. No: +91 11 40586081

www.marmosolutions.com

MADE IN INDIA
For any query/feedback
E-Mail: info@marmosolutions.com

MARMO SOLUTIONS
MARBLE & TILE SOLUTION PRODUCTS

TECHNICAL DATA SHEET

Product Name: MARMOPOXY- REMOVER

6.DO'S & DON'TS

• DO'S

• Ensure the surface is dry and free from loose debris before applying the remover.

• Apply a sufficient amount of Marmopoxy-Remover directly on the epoxy residue.

• Allow the product to sit for about 10–20 minutes so it can soften and break down the epoxy.

• Use a soft scrub brush or microfiber cloth to gently agitate and remove the softened epoxy.

• After removal, rinse the surface thoroughly with clean water to remove any remaining residue.

• Conduct a small patch test on sensitive stones before large-scale application.

• Store the product in a cool, dry place away from direct sunlight and heat with the container tightly sealed.

• DON'TS

• Do not apply the product on wet or heavily contaminated surfaces.

• Do not mix this remover with other chemicals or cleaning agents.

• Do not leave the remover on the surface for excessively long periods beyond the recommended dwell time.

• Do not scrub aggressively with metal brushes or abrasive tools that may damage the stone.

• Do not store the container open or exposed to high temperatures or direct sunlight.

Marketed By/ Exporter:
MUMBAI: 47A, Ground And First Floor,
Parmar Compound, Highway Road,
Vile Parle East, Mumbai- 400099
DELHI: WHS, 1/18, 2nd Floor Kirti Nagar, Near
Richi Rich, New Delhi- 110 015
Tel. No: +91 11 40586081

MADE IN INDIA

For any query/feedback
E-Mail: info@marmosolutions.com